

# ISOLATING VALVES VALVES

DN 150 to 2000



04/02/2021

RSEVPXXACC575

## Butterfly valves - Operating cap



### References for manually operated butterfly valves

Operating cap with pyramidal square 30mm

DN valve	PN	Ø keyed	Description	References	Note
mm	bar	mm	Version		
350 → 1200	10	20	Manually	162051	-
1400 → 1600	10	30	Manually	162086	-
1800	10	20	Manually	162051	-
2000	10	30	Manually	162086	-

DN valve	PN	Ø keyed	Description	References	Note
mm	bar	mm	Version		
300 → 1000	16	20	Manually	162051	-
1200	16	30	Manually	162086	-
1400 → 1600	16	20	Manually	162051	-
1800 → 2000	16	30	Manually	162086	-

DN valve	PN	Ø keyed	Description	References	Note
mm	bar	mm	Version		
250 → 900	25	20	Manually	162051	-
1000	25	30	Manually	162086	-
1200	25	20	Manually	162051	-
1400 → 1600	25	30	Manually	162086	-

# ISOLATING VALVES VALVES

DN 150 to 2000



04/02/2021

RSEVPXXACC575

## References for motorizable butterfly valves

Operating cap with pyramidal square 30mm

DN valve	PN	Ø keyed	Description	References	Note
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>		
150 → 300	10	16	Motorizable	171383	(*)
350 → 1200	10	20	Motorizable	162051	-
1400 → 1600	10	30	Motorizable	162086	-
1800	10	20	Motorizable	162051	-
2000	10	30	Motorizable	162086	-

(\*) DN150-300: take handwheel (171383)

DN valve	PN	Ø keyed	Description	References	Note
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>		
150 → 250	16	16	Motorizable	171383	(**)
300 → 1000	16	20	Motorizable	162051	-
1200	16	30	Motorizable	162086	-
1400 → 1600	16	20	Motorizable	162051	-
1800 → 2000	16	30	Motorizable	162086	-

(\*) DN150-250: take handwheel (171383) with square 30mm (instead of coupling) and take operating coupling square 29x28 (RAA29G)

DN valve	PN	Ø keyed	Description	References	Note
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>		
150 → 200	25	16	Motorizable	171383	(***)
250 → 900	25	20	Motorizable	162051	-
1000	25	30	Motorizable	162086	-
1200 → 1400	25	20	Motorizable	162051	-
1500 → 1600	25	30	Motorizable	162086	-

(\*) DN150-200: take handwheel (171383) with square 30mm (instead of coupling) and take operating coupling square 29x28 (RAA29G)

**ISOLATING VALVES**  
**VALVES**  
DN 150 to 2000



04/02/2021

**RSEVPXXACC575**

**References for buried butterfly valves**

Operating cap with pyramidal square 30mm

DN valve	PN	Ø keyed	Description	References	Note
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>		
150 → 1200	10	20	Buried	162051	-
1400 → 1600	10	30	Buried	162086	-
1800	10	20	Buried	162051	-
2000	10	30	Buried	162086	-

DN valve	PN	Ø keyed	Description	References	Note
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>		
150 → 1000	16	20	Buried	162051	-
1200	16	30	Buried	162086	-
1400 → 1600	16	20	Buried	162051	-
1800 → 2000	16	30	Buried	162086	-

DN valve	PN	Ø keyed	Description	References	Note
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>		
150 → 900	25	20	Buried	162051	-
1000	25	30	Buried	162086	-
1200 → 1400	25	20	Buried	162051	-
1500 → 1600	25	30	Buried	162086	-