

ISOLATING VALVES
VALVES
DN 150 to 2000



04/02/2021

RSEVPXXACC600

Butterfly valves - Operating coupling



References for manually operated butterfly valves

Operating coupling with square 28

DN valve	PN	Ø keyed	Description	References
mm	bar	mm	Version	
350 → 1200	10	20	Manually	RAA20M
1400 → 1600	10	30	Manually	RAA30M
1800	10	20	Manually	RAA20M
2000	10	30	Manually	RAA30M

DN valve	PN	Ø keyed	Description	References
mm	bar	mm	Version	
350 → 1000	16	20	Manually	RAA20M
1200	16	30	Manually	RAA30M
1400 → 1600	16	20	Manually	RAA20M
1800 → 2000	16	30	Manually	RAA30M

DN valve	PN	Ø keyed	Description	References
mm	bar	mm	Version	
200 → 900	25	20	Manually	RAA20M
1000	25	30	Manually	RAA30M
1200	25	20	Manually	RAA20M
1400 → 1600	25	30	Manually	RAA30M

ISOLATING VALVES VALVES DN 150 to 2000		04/02/2021
		RSEVPXXACC600

References for motorizable butterfly valves

Operating coupling with square 28

DN valve	PN	Ø keyed	Description	References
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>	
150 → 300	10	16	Motorizable	171383
350 → 1200	10	20	Motorizable	RAA20M
1400 → 1600	10	30	Motorizable	RAA30M
1800	10	20	Motorizable	RAA20M
2000	10	30	Motorizable	RAA30M

(*) DN150-300: take handwheel (171383) with square 30mm (instead of coupling) and take operating coupling square 29x28 (RAA29G)

DN valve	PN	Ø keyed	Description	References
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>	
150 → 250	16	16	Motorizable	171383
300 → 1000	16	20	Motorizable	RAA20M
1200	16	30	Motorizable	RAA30M
1400 → 1600	16	20	Motorizable	RAA20M
1800 → 2000	16	30	Motorizable	RAA30M

(*) DN150-250: take handwheel (171383) with square 30mm (instead of coupling) and take operating coupling square 29x28 (RAA29G)

DN valve	PN	Ø keyed	Description	References
<i>mm</i>	<i>bar</i>	<i>mm</i>	<i>Version</i>	
150 → 200	25	16	Motorizable	171383
250 → 900	25	20	Motorizable	RAA20M
1000	25	30	Motorizable	RAA30M
1200 → 1400	25	20	Motorizable	RAA20M
1500 → 1600	25	30	Motorizable	RAA30M

(*) DN150-200: take handwheel (171383) with square 30mm (instead of coupling) and take operating coupling square 29x28 (RAA29G)

ISOLATING VALVES VALVES

DN 150 to 2000



04/02/2021

RSEVPXXACC600

References for buried butterfly valves

Operating coupling with square 28

DN valve <i>mm</i>	PN <i>bar</i>	Ø keyed <i>mm</i>	Description <i>Version</i>	References
150 → 1200	10	20	Buried	RAA20M
1400 → 1600	10	30	Buried	RAA30M
1800	10	20	Buried	RAA20M
2000	10	30	Buried	RAA30M

DN valve <i>mm</i>	PN <i>bar</i>	Ø keyed <i>mm</i>	Description <i>Version</i>	References
150 → 1000	16	20	Buried	RAA20M
1200	16	30	Buried	RAA30M
1400 → 1600	16	20	Buried	RAA20M
1800 → 2000	16	30	Buried	RAA30M

DN valve <i>mm</i>	PN <i>bar</i>	Ø keyed <i>mm</i>	Description <i>Version</i>	References
150 → 900	25	20	Buried	RAA20M
1000	25	30	Buried	RAA30M
1200 → 1400	25	20	Buried	RAA20M
1500 → 1600	25	30	Buried	RAA30M